### Oztent RV-5





#### **Key Features:**

- O Sets up in less than 30 seconds
- O Patented design
- O 100% waterproof material guaranteed
- O Sleeps 5
- Most popular model



#### **Description:**

In 2006 we listened to customer feedback calling for an even larger tent – and delivered it with the Oztent RV-5. Now a bona fide best seller, it takes the RV-4 design basics but goes wider and deeper...yet packs down to a handy 2m/6'6" length in its bag. Plenty of room for 5 people. Still sets up in under 30 seconds. Awesome.

## Oztent RV-5



| Features               |   |
|------------------------|---|
| YKK Zips on Main Entry | YKK zips are known globally as the highest quality zippers. YKK make over half of the zippers used worldwide and we use them for our main entry way |
| Awning Stiffener       | Built into the awning, the stiffener allows one person to pack away the awning easily.  |
| Power Inlet            | Get power inside your tent without exposing you to<br>the elements with our handy power inlet located<br>on the 'A' side of every tent              |
| Internal Side Windows  | No need to leave your tent to open your window in<br>the morning. Our side windows open and close<br>from the inside for convenience.               |
| Attached Awning        | Our awning is always attached. No need for installation, just un-do the straps and roll it out.   |



All images shown remain the property of the publisher. All images used in this datasheet are for illustration purposes only and actual items may vary in appearance. Precautions have been taken to assure accuracy of the information on this sheet. Typographic or pictorial errors that are brought to our attention will be corrected in subsequent updates. Product dimensions shown here are nominal and are provided for the convenience of our customers. The Oztent Group reserves the right to make product changes from time to time, without prior notification, which may change the dimensions shown. The designs and dimensions of the products listed on this sheet are correct at the date of last publication and are subject to change without notice.

# Oztent RV-5



### **Specifications:**

| · aud                   | O Oversa Bin Char Bala Cathar C                                     |
|-------------------------|---|
| ent                     | 8 Ounce Rip-Stop Poly-Cotton Canvas                                 |
| loor                    | Heavy-duty, Heat Sealed PVC Tub Floor                               |
| Frame                   | Strong Aluminium  |
| Fly Screens             | No-See-Um Mesh  |
| Dimensions              |   |
| acked Size              | 200cm (l) x 40cm (w) x 18cm (h)<br>6.6' (l) x 1.3' (w) x 7" (h)     |
| Set Up Size             | 260cm (l) x 260cm (w) x 190cm (h)<br>8.5' (l) x 8.5' (w) x 6.2' (h) |
| wning Size              | 200cm (l) x 260cm (w)<br>6.6' (l) x 8.5' (w)                        |
| Veight                  | 25 kg<br>55 lbs   |
| /arranty                |   |
| Varranty Period         | 2 years   |
| Varranty Type           | Manufacturers   |
| ackage Contents         | Quantity  |
| ent                     | 1   |
| Attached Awning         | 1   |
| 9m/6'2"Telescopic Poles | 2   |
| Attached Guy Ropes      | 4   |
| Pegs/Stakes             | 16  |
| Awning Guy Ropes        | 2   |
| Owners Manual           | 1   |
| arry Bag                | 1   |
| Environment Testing     |   |
| Vind Rating             | Tested to 100km/h or 62mph  |
| /ater Rating            | 100% Waterproof   |